

# Rock-Mender Resin ICP Construction Inc

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: **12/19/2023**Print Date: **12/19/2023**S.GHS.USA.EN

### **SECTION 1 Identification**

### **Product Identifier**

Product name	Rock-Mender Resin
Synonyms	Not Available
Other means of identification	Not Available

### Recommended use of the chemical and restrictions on use

Concrete Repair Polymer

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction Inc	
Address	150 Dascomb Road Andover MA 01810 United States	
Telephone	1-866-667-5119 1-978-623-9987	
Fax	Not Available	
Website	www.icpgroup.com	
Email	sds@icpgroup.com	

### Emergency phone number

• • •	
Association / Organisation	ChemTel
Emergency telephone numbers	1-800-255-3924
Other emergency telephone numbers	1-813-248-0585

### SECTION 2 Hazard(s) identification

### Classification of the substance or mixture



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Serious Eye Damage/Eye Irritation Category 2A, Carcinogenicity Category 2

### Label elements

Hazard pictogram(s)





Signal word

Warning

### Hazard statement(s)

H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Version No: **1.1** Page **2** of **9** Issue Date: **12/19/2023** 

### **Rock-Mender Resin**

Print Date: 12/19/2023

### Hazard(s) not otherwise classified

Not Applicable

### Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	

### Precautionary statement(s) Prevention

P201	Obtain special instructions before use.	
P280	Vear protective gloves, protective clothing, eye protection and face protection.	
P202	Do not handle until all safety precautions have been read and understood.	
P264 Wash all exposed external body areas thoroughly after handling.		

### Precautionary statement(s) Response

P308+P313   IF exposed or concerned: Get medical advice/ attention.		
P305+P351+P338	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313 If eye irritation persists: Get medical advice/attention.		

### Precautionary statement(s) Storage

e locked up.
e I

### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 Composition / information on ingredients**

### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
108-32-7*	1-10	propylene carbonate
1333-86-4*	0.1-1	carbon black

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### **SECTION 4 First-aid measures**

### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:      Wash out immediately with fresh running water.      Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.      Seek medical attention without delay; if pain persists or recurs seek medical attention.      Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area.     Other measures are usually unnecessary.
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

### Most important symptoms and effects, both acute and delayed

See Section 11

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 Fire-fighting measures**

### Extinguishing media

- ► Foam.
- Dry chemical powder.

Version No: **1.1** Page **3** of **9** Issue Date: **12/19/2023** 

#### **Rock-Mender Resin**

Print Date: 12/19/2023

### Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

### Special protective equipment and precautions for fire-fighters

### Fire Fighting

- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Combustible.

#### Fire/Explosion Hazard

Slight fire hazard when exposed to heat or flame.

▶ Clear area of personnel and move upwind.

May emit poisonous fumes. May emit corrosive fumes.

may simil seriesive iairi

### **SECTION 6 Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Minor Spills	<ul><li>Remove all ignition sources.</li><li>Clean up all spills immediately.</li></ul>
Major Spills	Moderate hazard.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 Handling and storage**

### Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> </ul>

### Conditions for safe storage, including any incompatibilities

Suitable container	Metal can or drum     Packaging as recommended by manufacturer.     Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

### Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	carbon black	Carbon black	3.5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	carbon black	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	carbon black	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	carbon black	Carbon black	3.5 mg/m3	Not Available	Not Available	Ca; TWA 0.1 mg PAHs/m3 [Carbon black in presence of polycyclic aromatic hydrocarbons (PAHs)] See Appendix A See Appendix C

### **Emergency Limits**

Ingredient	TEEL-1	TEEL-2	TEEL-3
propylene carbonate	34 mg/m3	370 mg/m3	2,200 mg/m3
carbon black	9 mg/m3	99 mg/m3	590 mg/m3

Ingredient	Original IDLH	Revised IDLH
propylene carbonate	Not Available	Not Available

Version No: 1.1 Page 4 of 9 Issue Date: 12/19/2023

#### **Rock-Mender Resin**

Print Date: 12/19/2023

Ingredient	Original IDLH	Revised IDLH		
carbon black	1,750 mg/m3	Not Available		
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit		
propylene carbonate	Е	≤ 0.1 ppm		
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

#### **Exposure controls**

#### Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Individual protection measures, such as personal protective equipment









Eye and face protection

- ► Safety glasses with side shields.
- Chemical goggles.

Skin protection

See Hand protection below

Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

**Body protection** 

See Other protection below

Other protection

- Overalls.
- P.V.C apron.

### **SECTION 9 Physical and chemical properties**

Information on basic physical and chemical properties	Information	on basic	physical and	chemical	properties
---	-------------	----------	--------------	----------	------------

Appearance	Not Available		
	I		
Physical state	Liquid	Relative density (Water = 1)	1.03
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>93	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	<25 when mixed as intended

### **SECTION 10 Stability and reactivity**

#### **Rock-Mender Resin**

Issue Date: 12/19/2023 Print Date: 12/19/2023

Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

### **SECTION 11 Toxicological information**

Information	on	toxicological	effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems.  There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment.

Book Mondor Bo	oin

TOXICITY	IRRITATION
Not Available	Not Available

### propylene carbonate

TOXICITY	IRRITATION
Dermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>	Eye (rabbit): 60 mg - moderate
Dermal (rabbit) LD50: >5000 mg/kg <sup>[2]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>
Intraperitoneal (Mouse) LD: >500 mg/kg <sup>[2]</sup>	Skin (human): 100 mg/3d-I moderate
Oral (Mouse) LD50; 20700 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg moderate
Oral (Rat) LD50: >5000 mg/kg <sup>[2]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
Oral (Rat) LD50: 29000 mg/kg <sup>[2]</sup>	
Subcutaneous (Mouse) LD50: 15800 mg/kg <sup>[2]</sup>	
Subcutaneous (Rat) LD50: 11100 mg/kg <sup>[2]</sup>	

### carbon black

TOXICITY	IRRITATION
Dermal (rabbit) LD50: >3000 mg/kg <sup>[2]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
Inhalation (Rat)TCLo: 7 mg/m3 <sup>[2]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>

### Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

### propylene carbonate

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. for propylene carbonate:

Numerous adequate and reliable acute toxicity tests are available on propylene carbonate. Oral and dermal tests meet OECD and EPA test guidelines.

### carbon black

Inhalation (rat) TCLo: 50 mg/m3/6h/90D-I Nil reported No significant acute toxicological data identified in literature search.

### propylene carbonate & carbon black

WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.

Acute Toxicity	×	Carcinogenicity	<b>✓</b>
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	<b>*</b>	STOT - Single Exposure	×

 Version No: 1.1
 Page 6 of 9
 Issue Date: 12/19/2023

 Print Date: 12/19/2023
 Print Date: 12/19/2023

#### **Rock-Mender Resin**

Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: X – Data either r

Data either not available or does not fill the criteria for classification
 Data available to make classification

### **SECTION 12 Ecological information**

#### Toxicity

Rock-Mender Resin	Endpoint	Test Duration (hr)	Species	Value	Sou	rce
Rock-Mender Resin	Not Available	Not Available	Not Available	Not Available	Not a	Available
	Endpoint	Test Duration (hr)	Species		Value	Source

### propylene carbonate

Endpoint	Test Duration (hr)	Species	Value	Source
NOEC(ECx)	72h	Algae or other aquatic plants	900mg/l	1
EC50	72h	Algae or other aquatic plants	>900mg/l	1
EC50	48h	Crustacea	>1000mg/l	1
LC50	96h	Fish	1000mg/l	1

## carbon black

Endpoint	Test Duration (hr)	Species	Value	Source
EC50	72h	Algae or other aquatic plants	>0.2mg/l	2
EC50	48h	Crustacea	33.076-41.968mg/l	4
LC50	96h	Fish	>100mg/l	2
NOEC(ECx)	24h	Crustacea	3200mg/l	1

### Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

### DO NOT discharge into sewer or waterways

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
propylene carbonate	HIGH	HIGH

### **Bioaccumulative potential**

Ingredient	Bioaccumulation
propylene carbonate	LOW (LogKOW = -0.41)

### Mobility in soil

Ingredient	Mobility
propylene carbonate	LOW (KOC = 14.85)

### **SECTION 13 Disposal considerations**

### Waste treatment methods

- ► Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

### Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal

### **SECTION 14 Transport information**

### Labels Required

Labels Required		
Marine Pollutant	NO	

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

 Version No: 1.1
 Page 7 of 9
 Issue Date: 12/19/2023

 Print Date: 12/19/2023
 Print Date: 12/19/2023

#### **Rock-Mender Resin**

Not Applicable

### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
propylene carbonate	Not Available
carbon black	Not Available

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
propylene carbonate	Not Available
carbon black	Not Available

### **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### propylene carbonate is found on the following regulatory lists

US DOE Temporary Emergency Exposure Limits (TEELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### carbon black is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US - California Proposition 65 - Carcinogens

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US DOE Temporary Emergency Exposure Limits (TEELs)

US NIOSH Carcinogen List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### **Additional Regulatory Information**

Not Applicable

### **Federal Regulations**

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	
Gas under pressure	
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	
Combustible Dust	
Carcinogenicity	Yes
Acute toxicity (any route of exposure)	
Reproductive toxicity	
Skin Corrosion or Irritation	
Respiratory or Skin Sensitization	
Serious eye damage or eye irritation	
Specific target organ toxicity (single or repeated exposure)	
Aspiration Hazard	
Germ cell mutagenicity	
Simple Asphyxiant	
Hazards Not Otherwise Classified	

Version No: **1.1** Page **8** of **9** Issue Date: **12/19/2023** 

#### **Rock-Mender Resin**

None Reported

### US. EPCRA Section 313 Toxic Release Inventory (TRI) (40 CFR 372)

None Reported

### **Additional Federal Regulatory Information**

Not Applicable

### **State Regulations**

### US. California Proposition 65



**WARNING:** This product can expose you to chemicals including **carbon black**, which is known to the State of California to cause cancer. For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### **Additional State Regulatory Information**

Not Applicable

### **National Inventory Status**

National Inventory Status		
National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (propylene carbonate; carbon black)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

### **SECTION 16 Other information**

Revision Date	12/19/2023
Initial Date	12/17/2023

### CONTACT POINT

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

### **Definitions and abbreviations**

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ► IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ► STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ► ES: Exposure Standard
- ► OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- ► LOD: Limit Of Detection
- ► OTV: Odour Threshold Value
- ► BCF: BioConcentration Factors
- ► BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ► PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ► NDSL: Non-Domestic Substances List
- ► IECSC: Inventory of Existing Chemical Substance in China

Print Date: 12/19/2023

<sup>\*\*</sup>PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

Version No: 1.1 Page 9 of 9 Issue Date: 12/19/2023

### **Rock-Mender Resin**

Print Date: 12/19/2023

- EINECS: European INventory of Existing Commercial chemical Substances
   ELINCS: European List of Notified Chemical Substances

- ► NLP: No-Longer Polymers
  ► ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
   NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ► TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- ► NCI: National Chemical Inventory

  ► FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.